

# MONOPOLAR COAGULATION FORCEPS

## POTTS SMITH - STRAIGHT



300-010-E Scale 1:1

PRODUCT NUMBER	LEAD MOUNT	TIP STYLE / WIDTH	LENGTH	LEAD TO SUIT
300-010-E	Screw	Serrated 1.5mm	150mm (6")	300-710-A
300-010-F	Screw	Serrated 1.5mm	175mm (7")	300-710-A
300-010-G	Screw	Serrated 1.5mm	200mm (8")	300-710-A
300-010-I	Screw	Serrated 1.5mm	250mm (10")	300-710-A
300-015-E	2.5mm Pin	Serrated 1.5mm	150mm (6")	300-720-A
300-015-F	2.5mm Pin	Serrated 1.5mm	175mm (7")	300-720-A
300-015-G	2.5mm Pin	Serrated 1.5mm	200mm (8")	300-720-A
300-015-I	2.5mm Pin	Serrated 1.5mm	250mm (10")	300-720-A
300-016-E	4.76mm (3/16") Push/Pull	Serrated 1.5mm	150mm (6")	300-730-A
300-016-F	4.76mm (3/16") Push/Pull	Serrated 1.5mm	175mm (7")	300-730-A
300-016-G	4.76mm (3/16") Push/Pull	Serrated 1.5mm	200mm (8")	300-730-A
300-016-I	4.76mm (3/16") Push/Pull	Serrated 1.5mm	250mm (10")	300-730-A
300-017-E	4mm Push/Pull	Serrated 1.5mm	150mm (6")	300-730-B
300-017-F	4mm Push/Pull	Serrated 1.5mm	175mm (7")	300-730-B
300-017-G	4mm Push/Pull	Serrated 1.5mm	200mm (8")	300-730-B
300-017-I	4mm Push/Pull	Serrated 1.5mm	250mm (10")	300-730-B
300-020-E	Screw	1 x 2 Teeth	150mm (6")	300-710-A
300-020-F	Screw	1 x 2 Teeth	175mm (7")	300-710-A
300-020-G	Screw	1 x 2 Teeth	200mm (8")	300-710-A
300-020-I	Screw	1 x 2 Teeth	250mm (10")	300-710-A
300-021-E	2.5mm Pin	1 x 2 Teeth	150mm (6")	300-720-A
300-021-F	2.5mm Pin	1 x 2 Teeth	175mm (7")	300-720-A
300-021-G	2.5mm Pin	1 x 2 Teeth	200mm (8")	300-720-A
300-021-I	2.5mm Pin	1 x 2 Teeth	250mm (10")	300-720-A
300-022-E	4.76mm (3/16") Push/Pull	1 x 2 Teeth	150mm (6")	300-730-A
300-022-F	4.76mm (3/16") Push/Pull	1 x 2 Teeth	175mm (7")	300-730-A
300-022-G	4.76mm (3/16") Push/Pull	1 x 2 Teeth	200mm (8")	300-730-A
300-022-I	4.76mm (3/16") Push/Pull	1 x 2 Teeth	250mm (10")	300-730-A
300-023-E	4mm Push/Pull	1 x 2 Teeth	150mm (6")	300-730-B
300-023-F	4mm Push/Pull	1 x 2 Teeth	175mm (7")	300-730-B
300-023-G	4mm Push/Pull	1 x 2 Teeth	200mm (8")	300-730-B
300-023-I	4mm Push/Pull	1 x 2 Teeth	250mm (10")	300-730-B

Tip Width and Style Chart – See Page 1.3

# MONOPOLAR COAGULATION FORCEPS

## POTTS SMITH - BAYONET



300-050-E Scale 1:1

PRODUCT NUMBER	LEAD MOUNT	TIP STYLE / WIDTH		LENGTH	LEAD TO SUIT
300-050-E	Screw	Serrated	1.5mm	150mm (6")	300-710-A
300-050-F	Screw	Serrated	1.5mm	175mm (7")	300-710-A
300-050-G	Screw	Serrated	1.5mm	200mm (8")	300-710-A
300-050-H	Screw	Serrated	1.5mm	225mm (9")	300-710-A
300-055-E	2.5mm Pin	Serrated	1.5mm	150mm (6")	300-720-A
300-055-F	2.5mm Pin	Serrated	1.5mm	175mm (7")	300-720-A
300-055-G	2.5mm Pin	Serrated	1.5mm	200mm (8")	300-720-A
300-055-H	2.5mm Pin	Serrated	1.5mm	225mm (9")	300-720-A
300-056-E	4.76mm (3/16") Push/Pull	Serrated	1.5mm	150mm (6")	300-730-A
300-056-F	4.76mm (3/16") Push/Pull	Serrated	1.5mm	175mm (7")	300-730-A
300-056-G	4.76mm (3/16") Push/Pull	Serrated	1.5mm	200mm (8")	300-730-A
300-056-H	4.76mm (3/16") Push/Pull	Serrated	1.5mm	225mm (9")	300-730-A
300-057-E	4mm Push/Pull	Serrated	1.5mm	150mm (6")	300-730-B
300-057-F	4mm Push/Pull	Serrated	1.5mm	175mm (7")	300-730-B
300-057-G	4mm Push/Pull	Serrated	1.5mm	200mm (8")	300-730-B
300-057-H	4mm Push/Pull	Serrated	1.5mm	225mm (9")	300-730-B



300-080-E Scale 1:1

PRODUCT NUMBER	LEAD MOUNT	TIP STYLE / WIDTH		LENGTH	LEAD TO SUIT
300-080-E	Screw	Angled, Serrated	1.5mm	150mm (6")	300-710-A
300-080-F	Screw	Angled, Serrated	1.5mm	175mm (7")	300-710-A
300-080-G	Screw	Angled, Serrated	1.5mm	200mm (8")	300-710-A
300-080-H	Screw	Angled, Serrated	1.5mm	225mm (9")	300-710-A
300-081-E	2.5mm Pin	Angled, Serrated	1.5mm	150mm (6")	300-720-A
300-081-F	2.5mm Pin	Angled, Serrated	1.5mm	175mm (7")	300-720-A
300-081-G	2.5mm Pin	Angled, Serrated	1.5mm	200mm (8")	300-720-A
300-081-H	2.5mm Pin	Angled, Serrated	1.5mm	225mm (9")	300-720-A
300-082-E	4.76mm (3/16") Push/Pull	Angled, Serrated	1.5mm	150mm (6")	300-730-A
300-082-F	4.76mm (3/16") Push/Pull	Angled, Serrated	1.5mm	175mm (7")	300-730-A
300-082-G	4.76mm (3/16") Push/Pull	Angled, Serrated	1.5mm	200mm (8")	300-730-A
300-082-H	4.76mm (3/16") Push/Pull	Angled, Serrated	1.5mm	225mm (9")	300-730-A
300-083-E	4mm Push/Pull	Angled, Serrated	1.5mm	150mm (6")	300-730-B
300-083-F	4mm Push/Pull	Angled, Serrated	1.5mm	175mm (7")	300-730-B
300-083-G	4mm Push/Pull	Angled, Serrated	1.5mm	200mm (8")	300-730-B
300-083-H	4mm Push/Pull	Angled, Serrated	1.5mm	225mm (9")	300-730-B

Tip Width and Style Chart – See Page 1.3

# MONOPOLAR COAGULATION FORCEPS

## ADSON



300-060-A Scale 1:1

PRODUCT NUMBER	LEAD MOUNT	TIP STYLE / WIDTH		LENGTH	LEAD TO SUIT
300-060-A	Screw	Serrated	1.5mm	125mm (5")	300-710-A
300-060-B	Screw	1 x 2 Teeth		125mm (5")	300-710-A
300-060-C	Screw	Smooth	1.5mm	125mm (5")	300-710-A
300-061-A	2.5mm Pin	Serrated	1.5mm	125mm (5")	300-720-A
300-061-B	2.5mm Pin	1 x 2 Teeth		125mm (5")	300-720-A
300-061-C	2.5mm Pin	Smooth	1.5mm	125mm (5")	300-720-A
300-062-A	4.76mm (3/16") Push/Pull	Serrated	1.5mm	125mm (5")	300-730-A
300-062-B	4.76mm (3/16") Push/Pull	1 x 2 Teeth		125mm (5")	300-730-A
300-062-C	4.76mm (3/16") Push/Pull	Smooth	1.5mm	125mm (5")	300-730-A
300-063-A	4mm Push/Pull	Serrated	1.5mm	125mm (5")	300-730-B
300-063-B	4mm Push/Pull	1 x 2 Teeth		125mm (5")	300-730-B
300-063-C	4mm Push/Pull	Smooth	1.5mm	125mm (5")	300-730-B

Tip Width and Style Chart – See Page 1.3

# MONOPOLAR COAGULATION FORCEPS

## WAUGHS, McINDOES, GILLIES



300-090-A Not to Scale



300-090-A Not to Scale

PRODUCT NUMBER	DESCRIPTION	LEAD MOUNT	TIP STYLE	LENGTH	LEAD TO SUIT
300-090-A	Waughs	4.76mm (3/16") Push/Pull	Serrated	175mm (7")	300-730-A
300-090-B	Waughs	4.76mm (3/16") Push/Pull	Serrated	200mm (8")	300-730-A
300-090-C	Waughs	4.76mm (3/16") Push/Pull	1 x 2 Teeth Serrated	175mm (7")	300-730-A
300-090-D	Waughs	4.76mm (3/16") Push/Pull	1 x 2 Teeth Serrated	200mm (8")	300-730-A
300-090-E	McIndoes	4.76mm (3/16") Push/Pull	Serrated	150mm (6")	300-730-A
300-090-F	McIndoes	4.76mm (3/16") Push/Pull	1 x 2 Teeth Serrated	150mm (6")	300-730-A
300-090-G	Gillies	4.76mm (3/16") Push/Pull	Serrated	150mm (6")	300-730-A
300-090-H	Gillies	4.76mm (3/16") Push/Pull	1 x 2 Teeth Serrated	150mm (6")	300-730-A
300-091-A	Waughs	4mm Push/Pull	Serrated	175mm (7")	300-730-B
300-091-B	Waughs	4mm Push/Pull	Serrated	200mm (8")	300-730-B
300-091-C	Waughs	4mm Push/Pull	1 x 2 Teeth Serrated	175mm (7")	300-730-B
300-091-D	Waughs	4mm Push/Pull	1 x 2 Teeth Serrated	200mm (8")	300-730-B
300-091-E	McIndoes	4mm Push/Pull	Serrated	150mm (6")	300-730-B
300-091-F	McIndoes	4mm Push/Pull	1 x 2 Teeth Serrated	150mm (6")	300-730-B
300-091-G	Gillies	4mm Push/Pull	Serrated	150mm (6")	300-730-B
300-091-H	Gillies	4mm Push/Pull	1 x 2 Teeth Serrated	150mm (6")	300-730-B

Tip Width and Style Chart – See Page 1.3

# MONOPOLAR COAGULATION FORCEPS

## REMINGTON HOBBS - STRAIGHT



300-025-A Not to Scale

PRODUCT NUMBER	LEAD MOUNT	TIP STYLE	LENGTH	LEAD TO SUIT
300-025-A	Screw	Serrated	250mm (10")	300-710-A
300-026-A	2.5mm Pin	Serrated	250mm (10")	300-720-A
300-027-A	4.76mm (3/16") Push/Pull	Serrated	250mm (10")	300-730-A
300-028-A	4mm Push/Pull	Serrated	250mm (10")	300-730-B

## REMINGTON HOBBS - ANGLED



300-025-B Not to Scale

PRODUCT NUMBER	LEAD MOUNT	TIP STYLE	LENGTH	LEAD TO SUIT
300-025-B	Screw	Serrated	250mm (10")	300-710-A
300-026-B	2.5mm Pin	Serrated	250mm (10")	300-720-A
300-027-B	4.76mm (3/16") Push/Pull	Serrated	250mm (10")	300-730-A
300-028-B	4mm Push/Pull	Serrated	250mm (10")	300-730-B

Tip Width and Style Chart – See Page 1.3